JP06-348760

Fig.1



Fig.2 (a)



Fig.2 (b)



Fig.2 (c)



Fig.3 (a)



Fig.3 (b)



Fig.3 (c)

Fig.4 (a)



Fig.4 (b)



Fig.4 (c)



Fig.5 (a)



Fig.5 (b)



Fig.5 (c)



Fig.6 (a)



Fig.6 (b)



Fig.6 (c)



Fig.7 (a)



Fig.7 (b)



Fig.8 (a)



Fig.8 (b)



Fig.8 (c)



Fig.9


102
103
input image
noise removal means
image composition means
output image
noise detection means
905
101
image generation means

Fig.10 (a)



Fig.10 (b)



09704361 - 011901

Fig.11 (a)



Fig.11 (b)



Fig.11 (c)



EP 0 954 181 B1

Fig.12


1201
input image
differential image generation means
output image
noise removal means
102
noise detection means
101

Fig.13


1301
input image
image composition means
output image
noise removal means
102
noise detection means
101

Fig.14 (a)



Fig.14 (b)



Fig.14 (c)



EP 1 054 570 A2

TOKTO" T8Eh9260

Fig.15



Fig.16


input image
differential image generation means
1201
counting means
1601
image generation means
105
noise removal means
102
noise detection means
101
image composition means
103
output image

Fig.17


103
input image
image composition means
output image
noise detection means
104
106
105
101
counting means
statistics calculation means
image generation means

Fig.18


101
104
106
105
input image
noise detection means
counting means
statistics calculation means
image generation means
output image

Fig.19


input image
noise detection means
101
noise removal means
102
counting means
104
image composition means
103
image generation means
105
output image